



Grails Group Switzerland

# Webflow

Anna Schmassmann

# Inhalt



Grails Group Switzerland

- Implementierung
  - Aufbau
  - Transition State
  - Action State
- Subflow
- Fragen/Diskussion

# Implementierung



- Action mit Endung Flow
- Flow Scope

flow.ad = (flow.ad) ? flow.ad : **new Ad()**

flow.ad.person=activas.Person.get(params.id)

flow.ad.direction = Ad.DIRECTION\_LOOKFOR

– Objekt muss Serializable implementiert sein.

# Implementierung



Grails Group Switzerland

- Verschiedene Transition States
  - **def createFlow = {**
    - displayDirections{
      - on("offer"){
        - ...
        - }.to("displayTypes")
        - on("lookfor"){
          - ...
          - }.to("displayTypes")
          - on("cancel").to("finish")
          - .....
  - } ...**

# Implementierung



Grails Group Switzerland

- Action States:
  - showFee  
action  
**if(flow.ad.adType == AdType.findByName("volunteer"))**  
**return review()**  
**else**  
**return enterFee()**  
**}**  
**on("review").to("review")**  
**on("enterFee").to("enterFee")**  
**}**

# Subflow



- displayDirections{  
    subflow(displayDirectionFlow)  
    on("offer"){..}.to("displayTypes")  
    on("lookfor"){..}.to("displayTypes")
  
- Conversation Scope

# Fragen



Grails Group Switzerland

???